

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: VANIK, Jiri

SERIAL NO.: 10/501,463

ART UNIT: 3746

FILED: October 27, 2004

EXAMINER: Dwivedi, V. S.

TITLE: PERISTALTIC ROTATION PUMP WITH EXACT, ESPECIALLY MECHANICALLY
LINEAR DOSAGE

AMENDMENT "A"

Director of the U.S. Patent
and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action of January 5, 2007, a response being due by April 5, 2007,
please enter the amendments provided herein and consider the following remarks.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: VANIK, Jiri

SERIAL NO.: 10/501,463

ART UNIT: 3746

FILED: October 27, 2004

EXAMINER: Dwivedi, V. S.

TITLE: PERISTALTIC ROTATION PUMP WITH EXACT, ESPECIALLY MECHANICALLY
LINEAR DOSAGE

CERTIFICATE OF MAILING UNDER 37 CFR 1.8(a)

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Sir:

I hereby certify that the attached correspondence comprising:

AMENDMENT "A"

is being deposited with the United States Postal Service with sufficient postage as first class mail
in an envelope addressed to:

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

or by electronic filing on March 29, 2007.

Respectfully submitted,

March 29, 2007

/Andrew W. Chu/

Date

John S. Egbert: Reg. No. 30,627
Andrew W. Chu: Reg. No. 46,625
Attorney for Applicant
Egbert Law Offices
412 Main Street, 7th Floor
Houston, Texas 77002
(713)224-8080
(713)223-4873 fax

Customer No. 24106